

### USE OF AUTOMATED EXTERNAL DEFIBRILLATORS

Automated external defibrillators (AEDs) shall be made available in designated school locations to be used in administering emergency care to individuals who may be experiencing a heart-related emergency (e.g., cardiac arrest, ventricular fibrillation) for which the use of an AED may be indicated.

In administering this policy, the District will follow state law requirements and shall also:

1. Arrange for the provision of training on both the use of the AED and cardiopulmonary resuscitation (CPR) to at least the District Nurse or contracted RN, paid coaches and other staff who may be designated to provide such emergency care/services (may include site-based first responders). The District Administrator or administrative-level designee may approve requests to provide such training to additional school personnel.
2. Maintain and test each AED unit in accordance with any operational guidelines of the manufacturer.
3. Notify the nearest emergency medical services program of the type of defibrillators that are present in the District and the location(s) of the defibrillators, as well as of any changes to this information.

In the event that a medical emergency for which the use of an AED may be indicated occurs in a location where a District-supplied AED is present, the AED may be used. When necessary, an AED may be used (by following the device's instructions) by a person who has not previously received any AED training. However, without causing any undue delay in providing the emergency care, school personnel who are responding to such an emergency should make reasonable efforts to defer any use of an AED to the most-qualified individual who is present at the scene. Such school personnel shall also ensure that 911 is contacted as soon as practical.

After an incident involving the use of an AED, the incident and the services rendered should be documented according to the District's emergency nursing services procedures. In addition, a debriefing team of relevant school personnel, including the District nurse or contracted RN and the Safety Committee, shall meet and review the AED-related incident to determine whether any changes or improvements to District procedures can be identified. The review team may include the District's medical advisor as deemed necessary.

In consultation as needed with the District Nurse or contracted RN, the District Administrator or administrative-level designee shall be responsible for overseeing the implementation of this policy and any associated procedures.

#### LEGAL REFERENCES:

##### Wisconsin Statutes

- |                       |   |
|-----------------------|---|
| Section 121.02(1)(g)  | [school district standard; emergency nursing services requirement]                |
| Section 440.01(1)(ad) | [automated external defibrillator definition]                                     |
| Sections 895.48(4)    | [civil liability exemption for emergency use of automated external defibrillator] |

##### Wisconsin Administrative Code

- |               |  |
|---------------|--|
| PI 8.01(2)(g) | [school district standard; emergency nursing services requirement] |
|---------------|--|

#### CROSS REFERENCES:

- |             |   |
|-------------|---|
| 453.11 Rule | Automated External Defibrillator Use Procedures |
|-------------|---|

**FIRST READING:** November 9, 2017

**ADOPTED:** March 15, 2018

**Revised:** January 12, 2023